



All Databases

PubMed

Nucleotide

Protein

Genome

Structure

OMIM

PMC

Journals

Books

Search **PubMed** for **diabetic nephropathy rat model** **Go** **Clear** **Save Search**

Limits

Preview/Index

History

Clipboard

Details

Display **Summary** Show **20** Sort by Send to

All: 260 Review: 27

About Entrez  
NCBI Toolbar

Text Version

Items 1 - 20 of 260

Page **1** of 13 Next

## Entrez PubMed

Overview  
Help | FAQ  
Tutorials  
New/Noteworthy  
E-Utilities

## PubMed Services

Journals Database  
MeSH Database  
Single Citation Matcher  
Batch Citation Matcher  
Clinical Queries  
Special Queries  
LinkOut  
My NCBI

## Related Resources

Order Documents  
NLM Mobile  
NLM Catalog  
NLM Gateway  
TOXNET  
Consumer Health  
Clinical Alerts  
ClinicalTrials.gov  
PubMed Central

☐ **1:** Pugsley MK.

Related Articles, Links



The angiotensin-II (AT-II) receptor blocker olmesartan reduces renal damage in animal models of hypertension and diabetes.

Proc West Pharmacol Soc. 2005;48:35-8.  
PMID: 16416656 [PubMed - in process]

☐ **2:** Gross ML, Koch A, Muhlbauer B, Adamczak M, Ziebart H, Drescher K, Gross G, Berger I, Amann KU, Ritz E.

Related Articles, Links



Renoprotective effect of a dopamine D3 receptor antagonist in experimental type II diabetes.

Lab Invest. 2006 Jan 9; [Epub ahead of print]  
PMID: 16402031 [PubMed - as supplied by publisher]

☐ **3:** Awad AS, Huang L, Ye H, Duong ET, Bolton WK, Linden J, Okusa MD.

Related Articles, Links



Adenosine 2A Receptor Activation Attenuates Inflammation and Injury in Diabetic Nephropathy.

Am J Physiol Renal Physiol. 2005 Dec 6; [Epub ahead of print]  
PMID: 16332931 [PubMed - as supplied by publisher]

☐ **4:** Danda RS, Habiba NM, Rincon-Choles H, Bhandari BK, Barnes JL, Abboud HE, Pergola PE.

Related Articles, Links



Kidney involvement in a nongenetic rat model of type 2 diabetes.

Kidney Int. 2005 Dec;68(6):2562-71.  
PMID: 16316331 [PubMed - in process]

☐ **5:** Liu QJ, He N, Liu SX, Wang LH, Shi YH, Duan HJ.

Related Articles, Links



[Tubular epithelial-myofibroblast transdifferentiation and expressions of hepatocyte growth factor and Smad7 in renal tissues of rat with experimental diabetes.]

Zhongguo Wei Zhong Bing Ji Jiu Yi Xue. 2005 Nov;17(11):675-8. Chinese.  
PMID: 16297324 [PubMed - in process]

☐ **6:** Molotov-Luchanskii VB, Kudriavtsev SS, Muravleva LE, Gazaliev AM.

Related Articles, Links



[The influence of cytapate on the status of oxidative metabolism in rats with diabetic nephropathy]

Eksp Klin Farmakol. 2005 Sep-Oct;68(5):47-50. Russian.  
PMID: 16277212 [PubMed - indexed for MEDLINE]

☐ **7:** Schrijvers BF, Flyvbjerg A, Tilton RG, Lameire NH, De Vriese AS.

Related Articles, Links



A neutralizing VEGF antibody prevents glomerular hypertrophy in a model of obese type 2 diabetes, the Zucker diabetic fatty rat.

Nephrol Dial Transplant. 2006 Feb;21(2):324-9. Epub 2005 Oct 25.  
PMID: 16249198 [PubMed - in process]

☐ **8:** Hayden MR, Whaley-Connell A, Sowers JR.

Related Articles, Links



A service of the National Library of Medicine  
and the National Institutes of Health

My NCBI   
[\[Sign In\]](#) [\[Register\]](#)

[All Databases](#)[PubMed](#)[Nucleotide](#)[Protein](#)[Genome](#)[Structure](#)[OMIM](#)[PMC](#)[Journals](#)[Books](#)

Search  for    [Save Search](#)

[Limits](#)[Preview/Index](#)[History](#)[Clipboard](#)[Details](#)

Display  Show  Sort by  Send to

All: 1 Review: 0

☐ 1: [Nobrega MA, Fleming S, Roman RJ, Shiozawa M, Schlick N, Lazar J, Jacob HJ.](#)

[Related Articles, Links](#)

Initial characterization of a rat model of diabetic nephropathy.

Diabetes. 2004 Mar;53(3):735-42.

PMID: 14988259 [PubMed - indexed for MEDLINE]

About Entrez  
NCBI Toolbar

Text Version

Entrez PubMed  
Overview  
Help | FAQ  
Tutorials  
New/Noteworthy  
E-Utilities

PubMed Services  
Journals Database  
MeSH Database  
Single Citation Matcher  
Batch Citation Matcher  
Clinical Queries  
Special Queries  
LinkOut  
My NCBI

Related Resources  
Order Documents  
NLM Mobile  
NLM Catalog  
NLM Gateway  
TOXNET  
Consumer Health  
Clinical Alerts  
ClinicalTrials.gov  
PubMed Central

[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

Department of Health & Human Services

[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)

Jan 19 2006 04:31:52



All Databases

PubMed

Nucleotide

Protein

Genome

Structure

OMIM

PMC

Journals

Books

Search  for

Limits

Preview/Index

History

Clipboard

Details

Display  Show  Sort by  Send to

All: 105 Review: 36

About Entrez  
NCBI Toolbar

Text Version

Items 1 - 20 of 105

Page  of 6 Next

## Entrez PubMed

Overview  
Help | FAQ  
Tutorials  
New/Noteworthy  
E-Utilities

## PubMed Services

Journals Database  
MeSH Database  
Single Citation Matcher  
Batch Citation Matcher  
Clinical Queries  
Special Queries  
LinkOut  
My NCBI

## Related Resources

Order Documents  
NLM Mobile  
NLM Catalog  
NLM Gateway  
TOXNET  
Consumer Health  
Clinical Alerts  
ClinicalTrials.gov  
PubMed Central

☐ 1: [Tuttle KR, Bakris GL, Toto RD, McGill JB, Hu K, Anderson PW.](#)

[Related Articles, Links](#)

☐ [The effect of ruboxistaurin on nephropathy in type 2 diabetes.](#)  
Diabetes Care. 2005 Nov;28(11):2686-90.  
PMID: 16249540 [PubMed - indexed for MEDLINE]

☐ 2: [Cha DR, Kang YS, Han SY, Jee YH, Han KH, Kim HK, Han JY, Kim YS.](#)

[Related Articles, Links](#)

☐ [Role of aldosterone in diabetic nephropathy.](#)  
Nephrology (Carlton). 2005 Oct;10 Suppl:S37-9.  
PMID: 16174286 [PubMed - indexed for MEDLINE]

☐ 3: [Gohda T, Tanimoto M, Watanabe-Yamada K, Matsumoto M, Kaneko S, Hagiwara S, Shiina K, Shike T, Funabiki K, Tomino Y.](#)

[Related Articles, Links](#)

☐ [Genetic susceptibility to type 2 diabetic nephropathy in human and animal models.](#)  
Nephrology (Carlton). 2005 Oct;10 Suppl:S22-5. Review.  
PMID: 16174283 [PubMed - indexed for MEDLINE]

☐ 4: [Saad S, Stevens VA, Wassef L, Poronnik P, Kelly DJ, Gilbert RE, Pollock CA.](#)

[Related Articles, Links](#)

☐ [High glucose transactivates the EGF receptor and up-regulates serum glucocorticoid kinase in the proximal tubule.](#)  
Kidney Int. 2005 Sep;68(3):985-97.  
PMID: 16105029 [PubMed - indexed for MEDLINE]

☐ 5: [Mita Y, Ishihara K, Fukuchi Y, Fukuya Y, Yasumoto K.](#)

[Related Articles, Links](#)

☐ [Supplementation with chromium picolinate recovers renal Cr concentration and improves carbohydrate metabolism and renal function in type 2 diabetic mice.](#)  
Biol Trace Elem Res. 2005 Summer;105(1-3):229-48.  
PMID: 16034167 [PubMed - indexed for MEDLINE]

☐ 6: [Tseng CH.](#)

[Related Articles, Links](#)

☐ [Correlation of uric acid and urinary albumin excretion rate in patients with type 2 diabetes mellitus in Taiwan.](#)  
Kidney Int. 2005 Aug;68(2):796-801.  
PMID: 16014058 [PubMed - indexed for MEDLINE]

☐ 7: [Chiu YW, Kuo MC, Kuo HT, Chang JM, Guh JY, Lai YH, Chen HC.](#)

[Related Articles, Links](#)

☐ [Alterations of glomerular and extracellular levels of glutathione peroxidase in patients and experimental rats with diabetic nephropathy.](#)  
J Lab Clin Med. 2005 Apr;145(4):181-6.  
PMID: 15962836 [PubMed - indexed for MEDLINE]

☐ 8: [Deray G, Izzedine H, Launay-Vacher V, Bagnis C.](#)

[Related Articles, Link](#)

☐ [\[Kidney and glitazones\]](#)  
Ann Endocrinol (Paris). 2005 Apr;66(2 Pt 2):1S81-90. Review. French.  
PMID: 15959407 [PubMed - indexed for MEDLINE]